



VER


Assembly stack height schematic diagram




Stack-up Top Mount Double Sided Module
for 1.20 max top-side component height



Stack-up Top Mount Double Sided Module
for 1.35 max top-side component height



Stack-up Top Mount Double Sided Module
for 1.5 max top-side component height



HOW TO MATE AND EXTRACT
MATE: ① → ④
EXTRACT: ⑤

CONTACT

建倚科技股份有限公司
CONTACT TECHNOLOGY CORP.

TOLERANCE UNLESS
OTHERWISE STATED :
Up to 5 ±0.2
Above 5 ~ 15 ±0.3
Above 15 ~ 30 ±0.4
Above 30 ~ 50 ±0.5
Angle ±0.3°

3RD.
ANGEL'S



UNITS

MM

DRAWN BY: Jack Lu
CHECKED BY: Jacky Chen
APPROVED BY: Tony Kao
DATE: 06/04/21
DATE: 06/04/21
DATE: 06/04/21

MAT'L		TITLE	CONNECTOR
FINISH		MODLE	NGFF 0.5PITCH 67P KEY E H:3.2
SCALE	1 : 1	DWG NO.	NGF-32SE-x-S268
SHEET NO.	2 of 3	PART NO.	NGF-32SE-x-S268

SIZE
A4
VER
R

				CONTACT 建倚科技股份有限公司 CONTACT TECHNOLOGY CORP. TOLERANCE UNLESS OTHERWISE STATED : Up to 5 Above 5 ~ 15 Above 15 ~ 30 Above 30 ~ 50 Angle ±0.2 ±0.3 ±0.4 ±0.5 ±0.3° 3RD. ANGEL'S  UNITS MM					DRAWN BY: DATE		MAT'L		TITLE	CONNECTOR	
									CHECKED BY: DATE		FINISH		MODLE	NGFF 0.5PITCH 67P KEY E H:3.2	
									APPROVED BY: DATE			SCALE	1 : 1	DWG NO.	NGF-32SE-x-S268
												VER			
												R			

ITEM NO.	DESCRIPTION	DRAWN	DATE	C	D	E	F	G	H	I	J
A	B										